

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/824,114	04/14/2004	Robert J. Schubert	74238	6446
22242	7590 04/14/2006		EXAMINER	
FITCH EVEN TABIN AND FLANNERY			GARBER, CHARLES D	
	120 SOUTH LA SALLE STREET SUITE 1600		ART UNIT	PAPER NUMBER
CHICAGO, IL 60603-3406			2856	
			DATE MAILED: 04/14/200	6

Please find below and/or attached an Office communication concerning this application or proceeding.

4		<u>_</u>			
	Application No.	Applicant(s)			
	10/824,114	SCHUBERT ET AL.			
Office Action Summary	Examiner	Art Unit			
	Charles D. Garber	2856			
The MAILING DATE of this communication apperiod for Reply	ppears on the cover sheet with t	the correspondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING [Oracle - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by status Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICA 1.136(a). In no event, however, may a reply d will apply and will expire SIX (6) MONTHS tte, cause the application to become ABANI	TION. be timely filed from the mailing date of this communication. DONED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 27	<u>March 2006</u> .				
2a) ☑ This action is FINAL. 2b) ☐ Th	This action is FINAL . 2b) This action is non-final.				
	☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D. 1	1, 453 O.G. 213.			
Disposition of Claims					
4)⊠ Claim(s) <u>1-7 and 9-26</u> is/are pending in the a	pplication.				
4a) Of the above claim(s) 10-26 is/are withdra	4a) Of the above claim(s) <u>10-26</u> is/are withdrawn from consideration.				
5)⊠ Claim(s) 9 is/are allowed.					
6)⊠ Claim(s) <u>1-7</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/	or election requirement.				
Application Papers					
9) The specification is objected to by the Examir	ner.				
10)☐ The drawing(s) filed on is/are: a)☐ ac	ccepted or b) objected to by	the Examiner.			
Applicant may not request that any objection to the	- · · ·				
Replacement drawing sheet(s) including the corre					
Priority under 35 U.S.C. § 119					
12) ☐ Acknowledgment is made of a claim for foreig	gn priority under 35 U.S.C. § 11	19(a)-(d) or (f).			
 Certified copies of the priority document 	nts have been received.				
2. Certified copies of the priority documer	• •				
3. Copies of the certified copies of the pri	· ·	ceived in this National Stage			
application from the International Bure * See the attached detailed Office action for a lis	, , , , , , , , , , , , , , , , , , , ,	polyad			
See the attached detailed Office action for a lis	st of the certified copies not rec				
Attachment(s)					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Sum Paper No(s)/M	mary (PTO-413) lail Date			
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/06 Paper No(s)/Mail Date		mal Patent Application (PTO-152)			

Art Unit: 2856

Response to Arguments

Applicant's arguments filed 03/27/2006 have been fully considered but they are not persuasive. Please see updated discussion of the grounds or rejection below.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-3 and 5-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Happ et al. (US Patent 6,698,667) in view of Chamings (US Patent 5,906,327).

Regarding claims 1 and 7, Happ et al. (US Patent 6,698,667) discloses a restraint pretensioner. The recitation that the device is 'for repetitively simulating forces generated by different pyrotechnic devices on a seat belt system, the testing apparatus' need not be given patentable weight because it has been held that a preamble is denied the effect of a limitation where the claim is drawn to a structure and the portion of the claim following the preamble is a self-contained description of the structure not

Art Unit: 2856

depending for completeness upon the introductory clause. *Kropa v. Robie*, 88 USPQ 478 (CCPA 1951).

Happ further discloses housing 32 houses a pretensioner 6 coupled to an occupant restraint webbing 18 (seat belt system) shown in figure 1.

Happ recites "a small, reciprocating, piston-type pump which draws in **ambient** air and forces it into the **reservoir** until the desired pressure is reached. Subsequent on/off cycles can be used to maintain the reservoir at the desired pressure negating the need for hermetic sealing, which would be particularly difficult for the release valve." Happ also discloses an electronic circuit board 22 which is used to open the valve which allows compressed gas to flow from the reservoir (column 2 lines 57-66).

The aforementioned ambient air is considered equivalent to the actuating fluid supplied to the pretensioner portion and the reservoir is a control portion that stores the actuating fluid at predetermined pressures selected to deliver the fluid to the pretensioner portion as in the instant invention. As for the device "for simulating performance characteristics of pyrotechnic devices on the seat belt system", it has been held that a recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations *Ex parte Masham* 2 USPQ2d 1647 1987).

Happ does not expressly teach a retractor and an energy dissipation module between the retractor and the pretension portion.

Art Unit: 2856

Chamings discloses a seat belt pretensioner. Chamings teaches a pretensioner portion 400 and a retractor 20 wherein 'retractor 20 includes a torsion bar 100 which when twisted also permits the controlled protraction of the seat belt from the spool when loaded by the occupant during a crash'. The torsion bar 100 shown in figure 1 is located between the pretensioner and the retractor so that "crash energy" may be "dissipated by the energy needed to twits the torsion bar 100' (column 5 lines16-33 especially line 30).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include a retractor which takes up slack to allow a passenger to move with some freedom while the seal belt remains safely close to the passenger. It would have also been obvious to one having ordinary skill in the art at the time the invention was made to provide a torsion bar between the pretensioner and retractor which when twisted advantageously permits the controlled protraction of the seat belt from the spool when loaded by the occupant during a crash.

The references also do not disclose the energy dissipation module (torsion bar 100) is "distinct" from the retractor 20 (the torsion bar is included in the retractor as shown in figure 1 whereas the instant invention drawings show the equivalent parts are separated by belt 14).

However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to make these parts separable, since it has been held that constructing a formerly integral structure in various elements involves only routine skill in the art. *Nerwin v. Erlichmena*, 168 USPQ 177, 179).

Art Unit: 2856

As for preventing impacts against the pretensioner portion during testing operations, it has been held that a recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations *Ex parte Masham* 2 USPQ2d 1647 1987).

As for claim 2, all the parts of the device except for a release switch 12 and sensor 2 are within the housing 32. The valve is considered to act fast enough to tension the belt during a crash.

As for claim 3, Happ as discussed above discloses the claimed invention except for the valve shifting between open and closed positions in approximately seven to eight milliseconds. It would have been obvious to one having ordinary skill in the art at the time the invention was made for the valve to shift between open and closed positions in approximately seven to eight milliseconds, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233. In this case the general conditions are disclosed by Happ as being responsive to tension a belt quick enough to protect an occupant in during a high speed crash.

As for claim 5, the reservoir discussed above is considered to be the same as an accumulator as in the instant invention.

As for claim 6, the selected fluid pressure in the reservoir will inherently be a linear function of the force applied to the seat belt system via the pretensioner portion.

The pretension force is caused by the reservoir pressure and must have a linear relative relationship.

Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Happ et al. (US Patent 6,698,667) as modified by Chamings (US Patent 5,906,327) and applied above to claim 2 and further in view of Jernstrom (US Patent 6,585,295).

The references as applied above do not expressly teach the release valve includes a regulator with the regulator applying a pneumatic signal to the valve.

Jernstrom discloses a pneumatic pretenstioner teaching a "spill valve can be set between various degrees of opening and is controlled by a control unit in response to signals from a sensor for sensing the weight of the occupant."

It would have been obvious to one having ordinary skill in the art at the time the invention was made to control the valve opening in response to signals from a sensor for sensing the weight of the occupant. "By regulating the valve opening in relation to the weight of the occupant, the force limitation is regulated relative to the weight of the occupant."

Allowable Subject Matter

Claim 9 is allowed.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

Application/Control Number: 10/824,114 Page 7

Art Unit: 2856

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles D. Garber whose telephone number is (571) 272-2194. The examiner can normally be reached on 8:00 a.m. to 4:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hezron Williams can be reached on (571) 272-2208. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2856

Page 8

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Charles D. Garber Primary Examiner Art Unit 2856

cdg